

## STEP 1

위내시경을 받은 경험에 대해 이야기해 주세요.

얼마 전에 속이 안 좋아서 위내시경을 받으러 갔다. 전날부터 아무것도 먹지 않았다. 병원에 도착해서 옷을 검사복으로 갈아입었다. 그리고 나서는 마취제를 맞았다. 나도 모르게 잠이 들었다. 깨어 보니 내시경이 끝나 있었다. 의사 선생님이 위벽이 손상되었다고 했다, 식사를 규칙적으로 하고 자기 전에 먹지 말라고 했다. 그리고는 약을 처방받아서 병원을 나왔다.

### Talk about when you got a gastroscopy.

I had stomach problems a while ago, so I went to get a gastroscopy. Starting the day before, I didn't eat anything. When I got to the clinic, I changed into an exam gown. Then I received an anesthetic. I fell asleep before I knew it. When I woke up, the gastroscopy was over. The doctor said my stomach lining was damaged. He told me to eat regularly, and to avoid eating before I sleep. I got a prescription and left the clinic.

## Key Vocabulary

- stomach problems 소화 불량, 복부 통증 ■ change into ~으로 갈아입다 ■ exam gown 검사복
- receive an anesthetic 마취제를 맞다 ■ before one knows it 본인도 모르는 사이에
- stomach lining 위벽 ■ eat regularly 규칙적으로 식사하다 ■ get a prescription 처방을 받다

## Pattern Practice

### 1. stomach problems 소화 불량, 복부 통증

I had **stomach problems** a while ago, so I went to get a gastroscopy.

I get **stomach problems** more frequently than I used to.

This medicine is effective when you have **stomach problems**.

### 2. eat regularly 규칙적으로 식사하다

The doctor told me **to eat regularly**, and to avoid eating before I sleep.

It's hard for me **to eat regularly** because I'm so busy.

When losing weight, **eating regularly** is as important as eating less.

### 3. get a prescription 처방을 받다

I **got a prescription** and left the clinic.

This is the strongest medicine you can buy without **getting a prescription**.

I went to a clinic **to get a prescription** for weight-loss medication.

## STEP 2

내시경 검사에 대해 이야기해 보세요.

내시경 검사에는 크게 위내시경 검사와 대장 내시경 검사 2가지가 있다. 내시경 검사는 암, 용종, 종양 뿐만 아니라 위염이나 장염 같은 염증성 질환도 진단하고 치료할 수 있게 해 준다. 진단 목적을 위한 내시경 수술 시간은 대개 5분 정도 소요된다, 환자들은 보통 수면제를 투여받고, 수면 상태에서 검사를 받는다. 내시경에서 이상 소견이 있을 때는 정밀 검사 및 적절한 치료가 필요할 수도 있다. 이런 경우에는 의사가 환자를 상급 의료 기관으로 전원을 하게 하기도 한다.

### Talk about endoscopy tests.

The two main types of endoscopy exams are gastroscopy and colonoscopy exams. They help diagnose and treat cancer, polyps and tumors, as well as inflammations like gastritis or enteritis. Endoscopy procedures for the purpose of diagnosis usually take about 5 minutes. Usually, patients receive a sedative and are examined in their sleep. Abnormal findings from an endoscopy might call for further evaluation and proper treatment. In this case, the doctor might refer the patient to a higher level clinic.

### Key Vocabulary

- polyp/tumor 용종/종양   ■ gastritis/enteritis 위염/장염   ■ for the purpose of ~을 목적으로
- receive a sedative 진정제/수면제를 투여받다   ■ in one's sleep 수면 중에
- abnormal findings 이상 소견   ■ call for ~을 필요로 하다   ■ further evaluation 추가 검사, 정밀 검사
- proper treatment 적절한 치료   ■ refer a patient to 환자를 ~로 보내다   ■ higher level clinic 상급 의료 기관

### Pattern Practice

#### 1. in one's sleep 수면 중에

Usually, patients are examined **in their sleep**.

I sometimes talk **in my sleep**.

I had a fever and sweated a lot **in my sleep**.

#### 2. abnormal findings 이상 소견

Sometimes, there are **abnormal findings** from an endoscopy.

The doctor wanted to discuss some **abnormal findings**.

There were no **abnormal findings** from the exam.

#### 3. proper treatment 적절한 치료

It's important to get **proper treatment** after an endoscopy.

Without **proper treatment**, the problem could become serious.

It's not a big deal if you receive **proper treatment**.