



Global Top Brand, COMMAX!
Grand Slam in the World Design Awards!

MODUM SYSTEM

IPEC (IP EMERGENCY COMMUNICATION)

SMART HOME SYSTEM

CIP SYSTEM

2 IP SYSTEM

KNX

SMART GATE SYSTEM

GATE VIEW SYSTEM

SMART VIDEO PHONE

FINE VIEW VIDEO PHONE

MULTI BUTTON DOOR CAMERA

DOOR PHONE

MULTI BUTTON AUDIO UNIT

INTERPHONE / INTERCOM

WIRELESS INTERPHONE SERIES

SMART CCTV SYSTEM

NURSE CALL SYSTEM

SMART DOOR LOCK

Official Dealer:



Atu Tech
ești în siguranță

CIP WALLPAD CIP-700AW



SPECIFICATION	
Power source	DC14V, 2A
LCD size	7 inch TFT LED display
Mount type	Surface-mounted type
Data transmission	TCP/IP, RS 485
Operating temp.	0°~+40°
Wiring	LAN(CAT.5e)
OS	Android OS
Memory	DDR Memory 256MB
Storage	512MB High Speed Nand Flash
Touch panel	Resistance/Capacitance
Resolution	800×480
LAN	Ethernet 100
Dimension(mm)	243×168×35

FEATURES

- This product realizes a smart life via its expandability and open architecture based on android OS.

FUNCTION

ECO: EMS(Energy Management System)/ IHD

SECURITY: monitoring CCTV in public area/ integrated door lock.

CONVENIENCE FUNCTION: single-pass system/ visitor identification/voice mail/ alarm/scheduling/ elevator call/apartment complex information search/video and voice call between households/ integrated unmanned delivery

LOBBY PHONE DRC-500S



FEATURES

- Household unit call
- Security office call
- Multiple access contral method (PIN number/RFID card)

SPECIFICATION

Power source	DC 14V, 1A
LCD size	2.7 inch DOTS LED display
Mount type	Flush-mounted type
Wiring	LAN(CAT.5e)
RFID Card	13.56Mhz
Dimension(mm)	250×276×12



COMMAX Co.,Ltd.

#462-806, 494, Dunchon-daero, Jungwon-gu, Seongnam-si, Gyeonggi-do, Korea

TEL. +82-31-7393-540~550 **FAX.** +82-31-745-2133

www.commax.com