



	4
••••	
	7
I.	
1.	11
2. PLU	
3.	
4.	
П.	26
5.	
6.	
7.	
ASCII	38
	40











■LCD :

	g	₩/ 100g
영점 순중량	no ¢	Max 6/15 kg Min 40 g e=d= 2/5 g (≘)

■VFD :



■VFD :







■LED :



■LED :

	g	₩/
● ● 영점 순종량		Mex 6/15 kg Min 40 g e≕d= 2/5 g

영점 (▼)	
순중량 (▼)	
\C (▼)	
■ ⊂) (▼)	
+-	

M1 M2 M3 M4 M5
7 8 9 기억 풀번
4 5 6 + -
0 C 영점 용기 <u>OF</u>

0~9	
M1 ~ M5	PLU
기억	PLU
품번	PLU
C	(:).
여 연	
용기	
ON	
+	
-	
X	() .
하 출 종·아	









.(LCD Version b.





c.

가



" "



)





d.





) 100 g









.)10 g



.

.

"

2. PLU

a. 가

PLU 가



PLU(Price Look – Up) :

가

b. ()

.("0~999"

0	07.12.11 ()			
1	07.12.11()	07.12.11()	
2	07.12.11()	07.12.12()	
999	07.12.11()	10.09.03(988)	



9



)"10"

c. PLU

• "C" • "TARE"





) "APPLE" is "4, 1, C, 5, 0, C, 5, 0, C, 4, C(alphabet), C, 4, 5, C "



" C " 16

"





1.	NO / 10 / 30 / 60	
2.	OFF / ON / 3 / 5 / 10	LCD
3.	1/2/3/4/5/6/7	3
4.	BL-on / BL-off	
5.	0 / 20 / 40 / 60	LED
6.	NON / DEP - 50 / DLP - 50	





.

a.

.

NO		
10 ()	10 .	
30 ()	30 .	
60 ()	60 .	



영점 순종량 ""

) 5 ...

.





)





e. (LED)

OFF		
20()	20	
40()	40	
60()	60	



f. ER^{PLUS}

NON		
DEP - 50	DEP-50	
DLP-50	DLP-50	



и	**	
	••	
"	"	ERPLUS

·				
	1,2	/ 24	()
· ·	3	/ 16	()
	8			

a.











دد »» .

) THANK YOU

c.



.



.





""""""""""" """"



) .





"C"""







"C"""





























..







0

가

▼ 영점순중량

2000 932258

















Ū

Ū

5,980







е

•PLU 가

하-영점순중량



5

5



"Х".



.

1,500

300







) 가=199 1000g

•



9

가

가 " - "

Œ





• "" " , . .









가 " " .



" 가







가) . =44,499

ASCII

HIGH ORDER LOW ORDER	2	3	4	5	6	7	8	9
0	SP	0	@	Р	٤	р		
1	!	1	А	Q	а	q		
2	"	2	В	R	b	r		
3	#	3	С	S	С	S		
4	\$	4	D	Т	d	t		
5	%	5	Е	U	e	u		
6	&	6	F	V	f	v		
7	,	7	G	W	g	w		
8	(8	Н	Х	h	x		
9)	9	Ι	Y	i	у		
Α	*	:	J	Z	j	z		
В	+	,	К	[k			
С	,	<	L	¥	Ι			
D	-	=	М]	m			
E		>	Ν	۸	n			
F	/	?	0	_	0			



:

M1 M2 M3 M4 M5
7 8 9 기액 품벤
4 5 6 + -
123× (\$em)
0 C 영점 용기 <u>○</u>

	ſ	
"Err 0"		
"Err 1"	A/D .	
"Err 3"		
"Err 4"		
"Err 5"	가 .	
"Err 6"		가 .
"Over"	"Over " .	가 .

	ER PLUS					
	Dual Interval Max 3/6kg e = 1/2g	Dual Interval Max 6/15kg e = 2/5g	Dual Interval Max 15/30kg e = 5/10g			
	į	5/6/6(/ 가/)				
	, , 가, , (LCD version)					
	- 2.999 kg	- 5.998 kg	- 14.995 kg			
		-10 ~+40				
	12V DC					
	LCD	VFD 10W, 5W, LED 7	W()			
(mm)	304 (W) x 220 (D)					
(mm)	360 (W) x 350 (D) x 106 (H)					
	4.7kg					
	About 5.6V					
		12				
	LCD VERSION 200 ()	LED VERSION 46	VFD VERSION 6			
	Pb , 6V 4Ah/20Hr					
	, (LCD version), (V	FD version)			

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

 ···
 ···

:

•

MEMO

MEMO





본사_경기도 양주시 광적면 가납리 19 TEL_031 820 1100 FAX_031 836 6489 **서울사무소_** 서울시 강동구 성내동 440-1 카스 TEL_02 2225 3500 FAX_02 475 4668/9



* 당사는 서비스 지원 센터 및 고객상담 센터를 운용하고 있습니다.

지방지점 부산 | T. 051 313 3626 대구 | T. 053 356 7111 광주 | T. 062 363 0262 인천 | T. 032 434 0281 순천 | T. 061 725 0262 대전 | T. 042 672 1016 전주 | T. 063 211 4661 마산 | T. 055 255 4371 울산 | T. 052 267 3626

9000-ERS-0000-2 2008.03