

Eaton HSRC

Catalog Number: HSRC

Eaton Wheelock Exceder horn strobe, xenon, ceiling, red, FIRE, clear lens, 90/95/99 cd, 12/24V, indoor

General specifications



Product Name	Catalog Number
Eaton Wheelock Exceder horn strobe	HSRC
UPC	Product Length/Depth
786697274596	2.65 in
Product Height	Product Width
6.64 in	6.64 in
Product Weight	Compliances
0.638 lb	Not Applicable

Product specifications

Compliance and standards

UL
ULC
CSFM
FM

Type of horn strobe

Horn strobe

Housing color

Red

Housing material

Plastic

Lens color

Clear

Lens material

Lexan

Lamp type

Xenon

Current draw (DC)

0.082/ 0.102/0.141/0.148/0.176/0.197/0.242/ 0.282

Lettering

FIRE

Operating Temperature

32°F to 120°F (0°C to 49°C)

Indoor/outdoor

Indoor

Mounting Method

Ceiling

Candela settings

15 cd
30 cd
60 cd
75 cd
95 cd
115 cd
150 cd
177 cd

Voltage

12 V

Resources

Catalogs

Wheelock life safety notification appliances catalog CA450002EN,
Canada

Wheelock life safety notification appliances catalog CA450003FR,
French Canadian

Wheelock life safety notification appliances catalog CA450001EN

Drawings

Exceder horn strobe wall drawing

Installation instructions

exceder-install-sheets-ceiling-P85066

exceder-install-sheets-wall-P85060

Selling policy and T&Cs

Exceder CSFM listing 0785-0168

Wheelock audible visual appliances UL listing

Specifications and datasheets

Eaton Specification Sheet - HSRC

Technical data sheets

wheelock-mounting-accessories-data-sheet

24 V

Tones

Continuous Horn or Temporal (Code 3)

Sound Level (dBA)

99

90

95



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia